M177
Postoperative Care Suit

SAKAMOTO MODEL
CORPORATION

User's Manual (130603)

－ＩＮＤＥＸ－

●Introduction／Table of Contents 1
●Purpose 2
●Content 3
●Precautions 4
●Storage method 5
●Usage 6-7

! Note	Please open your parcel and check the main unit and accessories of the product immediately upon receipt. If the products are delivered damaged or with parts missing, please contact our company or the distributor.

株式会社坂本モデル

Introduction

Thank you for purchasing our product, “Postoperative Care Suit”

Read this user’s manual carefully in order to use the product for a long time appropriately.

This product is closely checked before factory shipment. However, when this product arrives, open it soon, and check if anything on the main unit and accessories are missing or broken.

Table of contents

Introduction／Table of Contents…… 1

Purpose…… 2

Content…… 3

Precautions concerning handling…… 4

Storage method…… 5

Usage…… 6-7

Purpose

Training can be performed for the following items.

1 Electrodes for electrocardiogram

2 Stoma care

3 Suture care

4 Tracheotomy care

5 Drain management

6 Continuous bladder catheterization

Content

1. Main unit

2 Tracheal cannula 1 piece

3 Electrode 6 pieces

4 Stoma 1 piece

5 Suture seal 1 sheet

6 Male external genitalia 1 piece

7 Female external genitalia 1 piece

8 Release paper to store the electrodes and stoma 1 sheet



Precautions concerning handling

1. Although the wearable pants are waterproof, they are not perfectly water resistant. Pay sufficient attention to ensure durability.
2. Although the adhesion force of the stoma and electrodes is weakened by using them, it recovers by washing them with water.
3. Do not use any permanent markers or inks because they will be absorbed into the material and become impossible to remove.
4. This product is washable.
   For the washing method, refer to the tag.
5. If anything strange is detected when this model is being used, stop using it and notify the dealer or us as soon as possible.
6. This product is a simulator for users to perform advanced training.
   Nonetheless, it does not guarantee that a similar effect can be obtained by actual treatment.
7. Note in advance that this product is subject to change without notice to improve it.

Storage method

1. Do not store the product in a place exposed to direct sunlight or one that becomes hot and humid. Otherwise, it might be deformed or altered.

2 When the accessory suture seal or your fixing seal is used, remove it from the suit immediately and store it after the training ends.

Otherwise, the texture might be disrupted depending on the degree of adhesiveness.

(If the seal is difficult to peel off, commercial seal-removing agents can be used.)

3 After the stoma or electrodes are used, be sure to attach them to the release paper (return to the status of factory shipment) before storing them.

Usage

This section describes each procedure of the major training items.

Perform training on referring to the procedure.

1 Electrodes for electrocardiogram

For care using the electrodes, perform training with attaching them to the site. (After training ends, be sure to attach them to the release paper before storing them.)



2 Stoma care

For stoma care, stick the stoma part at the place to perform training.

(After training ends, be sure to attach the part to the release paper before storing it.)

3 Suture care

For the care of suture marks, remove the seal from the sheet, cut it to an appropriate length, and attach it to the site to perform training.

(After training ends, be sure to peel the seal off the suit immediately.)



4 Tracheotomy care

Before training tracheotomy care using this suit, wind the accessory trachea cannula around the cervical segment of the buddy who wears the suit.

5 Drainage management

This suit is equipped with two stomas: One is on the abdominal cavity and the other is on the chest cavity. Use your tool to perform training. After training ends, be sure to peel off the tape attached to the main unit.

6 Continuous urethral catheterization care

For the care of urethral catheterization, attach the external genitalia on the treatment site of this suit with the face fastener before performing training.

Training of urethral catheterization using this suit aims at training in treatment when a catheter is indwelled.

It is not possible to perform training as if actually draining fluids.

When training is performed using treatment tapes, be sure to remove them before storing the model.

SAKAMOTO MODEL
CORPORATION

Head office
34,Higashitakagicho,Shimogamo
Sakyo-ku, KYOTO 606-0865, JAPAN
Phone: +81-75-701-1135
Fax: +81-75-722-5638
E-mail:info@sakamoto-model.com
URL:http://sakamoto-model.co.jp

Overseas Sales Department
1-9-29,Senbahigashi,Minoh City,Osaka
562-0035,JAPAN
Phone: +81-72-729-8350
Fax: +81-72-729-8385
E-mail:trade@sakamoto-model.com